

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

LOC DIST

REVISIONS

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.


P	LTR	DESCRIPTION	DATE	DWN	APVD
	5	UPDATED VIEWS AND INFO	12DEC2015	PP	OL

NOTES:




- MATERIALS:
 - BASE & COVER: PBT, COLOR: NATURAL,
 - CONTACTS: COPPER ALLOY.
- FOR SOLID AND STRANDED WIRE TYPES AWG 18 AND 20.
- WIRE STRIP LENGTH: 11-12 mm
- COMPLIES WITH DIRECTIVE 2002/95/EC (ROHS).
- MAX. WIRE INSULATION OUTER DIAM.: $\varnothing 2.3\text{mm}$.
- RECOMMENDED SCREW TORQUE: 0.4 - 0.6 Nm.
- SCREWS TO BE USED:
 - PAN HEAD M3 (2x) AND COUNTERSUNK M3 (2x), SEE TABLE.
- FOR LED THICKNESS RANGE 0.9-1.0 NOM.
- LED MATING ON 2 CORNERS WITH ADHESIVE TAPE.

**PRELIMINARY PART
NOT RELEASED FOR PRODUCTION**


**THIS PRODUCT HAS NOT COMPLETED
VALIDATION TESTING**




P/N 2213678-3 AS SHOWN



P/N 2213678-4 AS SHOWN



SECTION X-X



A(5:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	F. DENDAS	22MAY2015	STE TE Connectivity	NAME		MINI COB HOLDER PLATFORM				
DIMENSIONS: mm		CHK	O. LEIJNSE	22MAY2015		SIZE		A3	CAGE CODE	00779		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	O. LEIJNSE	22MAY2015		DRAWING NO		C-2213678		RESTRICTED TO		
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC				WEIGHT						
MATERIAL		FINISH		Customer Drawing		SCALE		3:1	SHEET	1 OF 3	REV	6




P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

**PRELIMINARY PART
NOT RELEASED FOR PRODUCTION**


**THIS PRODUCT HAS NOT COMPLETED
VALIDATION TESTING**

LED OUTLINE:
P/N 2213678-3 AND
P/N 2213678-4 (SHOWN)


LED OUTLINE:
P/N 2213678-5 AND
P/N 2213678-6 (SHOWN)



ADHESIVE TAPE WITH
RELEASE LINER.



PART NO	DESCRIPTION	LED OUTLINE	SCREW TYPE
2213678-6	35mm LED Holder	13.5*13.5	COUNTERSUNK
2213678-5	35mm LED Holder	13.5*13.5	PAN HEAD
2213678-4	35mm LED Holder	12*15	COUNTERSUNK
2213678-3	35mm LED Holder	12*15	PAN HEAD

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F. DENDAS 22MAY2015	 TE Connectivity	
		CHK O. LEIJNSE 22MAY2015		
DIMENSIONS: mm		APVD O. LEIJNSE 22MAY2015	NAME MINI COB HOLDER PLATFORM	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE A3	
0 PLC ±		APPLICATION SPEC	CAGE CODE 00779	DRAWING NO C-2213678
1 PLC ±		WEIGHT	RESTRICTED TO	
2 PLC ±			-	
3 PLC ±				
4 PLC ±				
ANGLES ±				
MATERIAL material_2	FINISH finish_spec_2	Customer Drawing	SCALE 3:1	SHEET 1 OF 3
			REV 6	

D
C
B
A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

RECOMMENDED DRILLING HOLE PATTERN



PRELIMINARY PART
NOT RELEASED FOR PRODUCTION

THIS PRODUCT HAS NOT COMPLETED
VALIDATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F. DENDAS 22MAY2015			
DIMENSIONS: mm		CHK O. LEIJNSE 22MAY2015			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD O. LEIJNSE 22MAY2015	NAME MINI COB HOLDER PLATFORM		
<ul style="list-style-type: none"> 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± 		PRODUCT SPEC -	RESTRICTED TO -		
MATERIAL material_2		APPLICATION SPEC	SIZE A3	CAGE CODE 00779	DRAWING NO C=2213678
FINISH finish_spec_2		WEIGHT	SCALE 3:1		SHEET 1 OF 3
Customer Drawing			REV 6		

D
C
B
A