THYRISTOR SURGE SUPPRESSOR



DESCRIPTION

The PP-SM Series are thyristor surge suppression (TSS) devices designed to protect telecommunication equipment against lightning and transients induced by AC power lines. These devices can be used on central office equipment, PBX, DSU, OCU and other telecommunication equiment/systems. The bidirectional configuration provides protection for both positive and negative transients and the discrete surface mount package allows for individual placement of the device on line cards or other locations where multiple component devices do not offer the versatile in board trace layout.

This series can be used to provide protection in accordance with industry standards such as FCC Part 68, ANSI C62.41, UL 1459, GR-1089-CORE, IEC 61000-2, IEC 61000-4 and IEC 61000-4-5 requirements.

FEATURES

- · UL Registered
- Compatible with IEC 61000-4-2 (ESD): Air 15kV, Contact 8kV
- Compatible with IEC 61000-4-4 (EFT): 40A, 5/50ns
- Compatible with IEC 61000-4-5 (Surge): 95A, 8/20µs L4(Line-Ground), 48A L4(Line-Line) & 83A L2(Power)
- FCC Part 68, UL 1459, Bellcore 1089 & ITU-K.20/K.21 Compliant
- Peak Off-State Voltage from 25 to 300 Volts
- Surge Current Capability (See Table 1)
- ESD Protection > 25 kilovolts
- Low Capacitance for T1/E1 Trunk & Line Card Applications
- Bidirectional Configuration
- RoHS Compliant
- REACH Compliant

MECHANICAL CHARACTERISTICS


- Molded Plastic DO-214AA Package
- Approximate Weight: 0.095 grams
- Lead-Free Pure-Tin Plating (Annealed)
- Solder Reflow Temperature:

Pure-Tin - Sn, 100: 260-270°C

- Flammability Rating UL 94V-0
- 12mm Tape and Reel per EIA Standard 481

APPLICATIONS

- T1/E1 Trunk & Line Cards
- SLIC Line Card
- DBX Branch Exchange Switches
- FCC Part 68 Customer Premise Equipment
- Line Interface Modem
- xDSL Architecture Interface



DEVICE SYMBOL BIDIRECTIONAL

	TABLE 1 - SURGE RATINGS										
SERIES	Ι _{բբ} 2/10μs AMPS	Ι _{ρρ} 8/20μs AMPS	Ι _{pp} 10/160μs AMPS	Ι _{ρρ} 10/560μs AMPS	Ι _{ρρ} 10/1000μs AMPS	I _{TSM} 60Hz AMPS	di/dt A/μs (Note 1)	dv/dt V/μs (Note 1)			
SA	150	150	100	50	50	20	500	2000			
SB	300	300	150	100	80	32	500	2000			
SC	500	400	200	200	100	60	500	2000			

NOTE:

 ${\bf 1.} \ \ {\bf Critical\ rate\ of\ rise\ for\ On-State\ Current\ (di/dt)\ and\ Off-State\ Voltage\ (dv/dt).}$

05081.R21 8/20 Page 1 ISO 9001: 2015 CERTIFIED

MAXIMUM RATINGS @ 25°C Unless Otherwise Specified								
PARAMETER	SYMBOL	VALUE	UNITS					
Surge Current - 50/60Hz (SC Series)	I _{TSM}	60	Amps					
Junction Temperature	T _A	-40 to 150	°C					
Storage Temperature	T _{stg}	-55 to 150	°C					
Thermal Resistance (Junction) - SA & SB Series	R _{QJC}	28	°C/Watt					
Thermal Resistance (Junction) - SC Series	R _{QJC}	26	°C/Watt					
Thermal Resistance (Ambient) - SA & SB Series	R _{QJA}	90	°C/Watt					
Thermal Resistance (Ambient) - SC Series	R _{QJA}	85	°C/Watt					

FIGURE 1
PULSE WAVEFORM






FIGURE 2
VI CHARACTERISITC CURVE







PART NUMBER	DEVICE MARKING	REPETITIVE PEAK OFF-STATE VOLTAGE V DRM VOLTS	SWITCHING VOLTAGE @100V/μs V _s VOLTS	MINIMUM HOLDING CURRENT (Fig. 7) di/dt = 1A/ms I _H mA	SWITCHING CURRENT IS mA	MAXIMUM OFF-STATE CURRENT (Fig. 4) @V DRM I DRM μΑ	MAXIMUM ON-STATE VOLTAGE (Fig. 5) @I _T V _T VOLTS	ON-STATE CURRENT I _T AMPS	TYPICAL CAPACITANCE (Note 1) @2V, 1MHz C pF
PP0080SA	GA	6	25	50	800	5	4	2.2	50
PP0300SA	GB	25	40	50	800	5	4	2.2	60
PP0640SA	GC	58	77	150	800	5	4	2.2	60
PP0720SA	GD	65	88	150	800	5	4	2.2	60
PP0800SA	GE	75	98	150	800	5	4	2.2	60
PP1100SA	GF	90	130	150	800	5	4	2.2	60
PP1300SA	GG	120	160	150	800	5	4	2.2	40
PP1500SA	GH	140	180	150	800	5	4	2.2	40
PP1800SA	GI	160	220	150	800	5	4	2.2	40
PP2300SA	GJ	190	260	150	800	5	4	2.2	30
PP2600SA	GK	220	300	150	800	5	4	2.2	30
PP3100SA	GL	275	350	150	800	5	4	2.2	30
PP3500SA	GM	300	400	150	800	5	4	2.2	30
PP0080SB	FA	6	25	50	800	5	4	2.2	60
PP0300SB	GN	25	40	50	800	5	4	2.2	110
PP0640SB	GP	58	77	150	800	5	4	2.2	60
PP0720SB	GQ	65	88	150	800	5	4	2.2	60
PP0800SB	GR	75	98	150	800	5	4	2.2	60
PP1100SB	GS	90	130	150	800	5	4	2.2	60
PP1300SB	GT	120	160	150	800	5	4	2.2	40
PP1500SB	GU	140	180	150	800	5	4	2.2	40
PP1800SB	GV	160	220	150	800	5	4	2.2	40
PP2300SB	GW	190	260	150	800	5	4	2.2	30
PP2600SB	GX	220	300	150	800	5	4	2.2	30
PP3100SB	GY	275	350	150	800	5	4	2.2	30
PP3500SB	GZ	300	400	150	800	5	4	2.2	30
PP0080SC	НА	6	25	50	800	5	4	2.2	75
PP0300SC	НВ	25	40	50	800	5	4	2.2	60
PP0640SC	НС	58	77	150	800	5	4	2.2	120
PP0720SC	HD	65	88	150	800	5	4	2.2	120
PP0800SC	HE	75	98	150	800	5	4	2.2	120
PP1100SC	HF	90	130	150	800	5	4	2.2	120
PP1300SC	HG	120	160	150	800	5	4	2.2	80


NOTES


 $^{{\}bf 1.} \ \ {\bf Capacitance\ imblance\ between\ positive\ and\ negative\ polarities\ is\ typically\ {\bf <15pF}.}$


ELECTRICAL CHARACTERISTICS PER LINE @ 25°C Unless Otherwise Specified											
PART NUMBER	DEVICE MARKING	REPETITIVE PEAK OFF-STATE VOLTAGE V DRM VOLTS	SWITCHING VOLTAGE @100V/μs V _s VOLTS	MINIMUM HOLDING CURRENT (Fig. 7) di/dt = 1A/ms I _H mA	SWITCHING CURRENT IS mA	MAXIMUM OFF-STATE CURRENT (Fig. 4) @V _{DRM} I _{DRM} μΑ	MAXIMUM ON-STATE VOLTAGE (Fig. 5) @I _T V _T VOLTS	ON-STATE CURRENT I _T AMPS	TYPICAL CAPACITANCE (Note 1) @2V, 1MHz C pF		
PP1500SC	НН	140	180	150	800	5	4	2.2	80		
PP1800SC	НІ	160	220	150	800	5	4	2.2	80		
PP2300SC	НЈ	190	260	150	800	5	4	2.2	60		
PP2600SC	НК	220	300	150	800	5	4	2.2	60		
PP3100SC	HL	275	350	150	800	5	4	2.2	60		
PP3500SC	HN	300	400	150	800	5	4	2.2	60		


NOTES

^{1.} Capacitance imblance between positive and negative polarities is typically < 15pF.









APPLICATION INFORMATION

FIGURE 1 - UL 1459 & FCC PART 68 METALLIC PROTECTION

The TSS (Thyristor Surge Suppressor) device is located across the tip-to-ring after a limiting resistor and fuse combination. RTIP and RRING resistors are optional depending upon the TSS device selection. Without the resistors, the PP3100SB/SC is recommended. However, with a resistance value of 7.5 Ohms for tip and ring, the PP3100SA is recommended. Digital signals may use a lower TSS device depending upon the total tip to ring voltage range. Selection of the TSS device, either PPxxxx-SA or SB/SC is based upon the value of the tip and ring resistors. For the National Electric Code (NEC) article 800, it is recommended that at least one fuse be used in the tip or ring line for metallic surges. Fuses may be replaced with a suitable Positive Temperature Coefficient (PTC) automatic resettable current limiting device.





FIGURE 2 - UL 1459 & FCC PART 68 LONGITUDINAL PROTECTION


There are two TSS devices, one located from tip-to-ground and one ring-to-ground. For standard analog signals, the PP3100SA is recommended with a typical resistor value for tip and ring of 15 Ohms. The PP3100SB/SC is recommended for resistor values of 7.5 Ohms each. The National Electric Code (NEC) article 800 requires two fuse elements when connecting to ground. Fuses or a suitable Positive Temperature Coefficient (PTC) automatic resettable current limiting device may be used. The purpose of this circuit is to limit AC power current from getting on the ground line causing any safety hazard.



APPLICATION INFORMATION

FIGURE 3 - UL 1459 & FCC PART 68 METALLIC & LONGITUDINAL PROTECTION

Three equal TSS devices are used in this application for metallic (tip-to-ring) and longitudinal (tip-to-ground and ring-to-ground) protection. For analog signals, the PP3100SB/SC is recommended. With a resistance value of 15 Ohms for the tip and ring resistors, the PP310OSA may be used. The National Electric Code (NEC) article 800 requires two fuse elements when connecting to ground. Fuses or a suitable Positive Temperature Coefficient (PTC) automatic resettable current limiting device may be used. This circuit is recommended for protection against the Bellcore requirement: First Level Lightning Surge Tests (Telecommunications Port), document # GR-1089-CORE.



CIRCUIT BOARD RECOMMENDATIONS

Circuit board layout is critical for electromagnetic compatibility protection. The following guidelines are recommended:

- The protection device should be placed near the input terminals or connectors, the device will divert the transient current immediately before it can be coupled into the nearby traces.
- The path length between the TVS device and the protected line should be minimized.
- All conductive loops including power and ground loops should be minimized.
- The transient current return path to ground should be kept as short as possible to reduce parasitic inductance.
- Ground planes should be used whenever possible. For multilayer PCBs, use ground vias.




DO-214AA PACKAGE INFORMATION


OUTLINE DIMENSIONS										
DIM	MILLIN	IETERS	INCHES							
	MIN	MAX	MIN	MAX						
А	1.96	2.21	0.077	0.087						
В	4.06	4.57	0.160	0.180						
С	3.30	3.94	0.130	0.155						
D	2.00	2.50	0.079	0.098						
Е	0.76	1.52	0.030	0.060						
F	0.10	0.20	0.004	0.008						
G	5.08	5.59	0.200	0.220						
Н	0.15	031	0.006	0.012						




^{1.} Dimensions are exclusive of mold flash and metal burrs.



PAD LAYOUT DIMENSIONS									
DIA	MILLIN	IETERS	INCHES						
DIM	MIN	MAX	MIN	MAX					
Α	2.15	-	0.084	-					
В	1.45	-	0.057	-					
С	-	2.55	-	0.100					
D	1.45	-	0.057	-					



TAPE AND REEL



SPECIFICATIONS											
REEL DIA.	TAPE WIDTH	A0	В0	ко	D	E	F	w	P0	Р	tmax
330mm (13")	12mm	3.79 ± 0.15	5.72 ± 0.15	2.46 ± 0.30	1.55 ± 0.05	1.75 ± 0.10	5.5 ± 0.05	12.00 ± 0.30	4.00 ± 0.10	8.00 ± 0.10	0.25 ± 0.10

NOTES

- 1. Dimensions are in millimeters.
- 2. Surface mount product is taped and reeled in accordance with EIA-481.
- 3. Suffix T = 13" Reel 3,000 pieces per 12mm tape.
- 4. Marking on Part marking code (see page 2) and logo.

ORDERING INFORMATION									
BASE PART NUMBER LEADFREE SUFFIX TAPE SUFFIX QTY/REEL REEL SIZE TUBE QTY									
PPxxxxSA/SB/SC	-LF	-Т	3,000	13"	n/a				
This device is only available in a Lead-Free configuration									

This device is only available in a Lead-Free configuration.

COMPANY INFORMATION

COMPANY PROFILE

In business more than 25 years, ProTek Devices™ is a privately held semiconductor company. The company offers a product line of overvoltage protection and overcurrent protection components. These include transient voltage suppressor array (TVS arrays) avalanche breakdown diode, steering diode TVS array and electronics SMD chip fuses. These components deliver circuit protection in electronic systems from numerous overvoltage and overcurrent events. They include lightning; electrostatic discharge (ESD); nuclear electromagnetic pulses (NEMP); inductive switching; and electromagnetic interference (EMI) / radio frequency interference (RFI). ProTek Devices also offers LED wafer die for ESD protection and related high frequency products. ProTek Devices is ISO 9001:2015 certified.

CONTACT US

Corporate Headquarters

2929 South Fair Lane Tempe, Arizona 85282 USA

By Telephone

General: 602-431-8101

Sales: & Marketing: 602-414-5109 Customer Service: 602-414-5114 Product Technical Support: 602-414-5107

Bv Fax

General: 602-431-2288

By E-mail:

Asia Sales: asiasales@protekdevices.com
Europe Sales: europesales@protekdevices.com
U.S. Sales: ussales@protekdevices.com
Distributor Sales: distysales@protekdevices.com

Customer Service: service@protekdevices.com
Technical Support: support@protekdevices.com

ProTek Devices (Asia Pacific) Pte. Ltd.

8 Ubi Road 2, #06-19

Zervex

Singapore - 408538 Tel: +65-67488312 Fax: +65-67488313

Web

www.protekdevices.com

COPYRIGHT © ProTek Devices 2000 - This literature is subject to all applicable copyright laws and is not for resale in any manner.

SPECIFICATIONS: ProTek reserves the right to change the electrical and or mechanical characteristics described herein without notice

DESIGN CHANGES: ProTek reserves the right to discontinue product lines without notice and that the final judgement concerning selection and specifications is the buyer's and that in furnishing engineering and technical assistance. ProTek assumes no responsibility with respect to the selection or specifications of such products. ProTek makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ProTek assume any liability arising out of the application or use of any product or circuit and specifically disclaims any and all liability without limitation special, consequential or incidental damages.

LIFE SUPPORT POLICY: ProTek Devices products are not authorized for use in life support systems without written consent from the factory.